





Rinnen/Channel:

FCT pro NW100 V-E  
BG code: siehe Tabelle/ see table:





FCT pro NW100 G  
BG code: siehe Tabelle/ see table:



FCT pro NW100 V-E, Nr. 5-0 f. seitl. Bohrung/f. side outlet drilling  
BG code: V 10610281 siehe Tabelle/E 10610381 see table:

FCT pro NW100 G, Nr. 5-0 f. seitl. Bohrung/f. side outlet drilling  
BG code: G 10610181 siehe Tabelle/see table:





Rinne / channel - Maße / dimensions [mm]								
BG code V	BG code E	BG code G	Typ	Höhe A height A	Höhe B height B	Länge length	Gewicht weight V/E [kg]	Gewicht weight G [kg]
10610200	10610300	10610100	0	142	142	1000	18,3	19,1
10610280	10610380	10610180	0 (0,5m)	142	142	500	9,6	9,7
10610201	10610301	10610101	1	145	150	1000	18,6	19,5
10610202	10610302	10610102	2	150	155	1000	19,3	20,2
10610203	10610303	10610103	3	155	160	1000	20	20,9
10610204	10610304	10610104	4	160	165	1000	20,6	21,6
10610205	10610305	10610105	5	165	170	1000	21,3	22,3
10610261	10610361	10610161	5-0	170	170	1000	21,6	22,6
10610281	10610381	10610181	5-0 (0,5m)	170	170	500	13,2	13,5
10610206	10610306	10610106	6	170	175	1000	21,9	23
10610207	10610307	10610107	7	175	180	1000	22,6	23,3
10610208	10610308	10610108	8	180	185	1000	23,3	24
10610209	10610309	10610109	9	185	190	1000	23,9	24,7
10610210	10610310	10610110	10	190	195	1000	24,6	25,4
10610262	10610362	10610162	10-0	195	195	1000	24,9	26,1
10610282	10610382	10610182	10-0	195	195	500	11	11,6
10610264	10610364	10610164	20-0	245	245	1000	31	32

Legende / explanation:	
FCT:	FILCOTEN HPC
V:	verzinkter Stahl / galvanized steel
E:	Edelstahl / stainless steel
G:	Gußeisen / ductile iron
H:	Holz / wood

Roste, Abdeckungen / grates, covers:



Gitterrost / Mesh grating: MW 30/10, C250

BG code: V 17010222 (17010223), E 17010322 (17010323); C250 3,3 kg (1,6 kg):





Gitterrost / Mesh grating: MW 25/10, D400

BG code: V 17010226 (17010227), E 17010326 (17010327); D400 7,4 kg (3,7 kg):





Stegrost / Slotted grating: SW 8/80, C250

BG code: V 17010206 (17010207), E 17010306 (17010307); C250 4,5 kg (2,2 kg):




Lochrost / Perforated grating: Ø 6 mm, C250

BG code: V 17010228 (17010229), E 17010328 (17010329); 3,3 kg (1,7 kg):




Roste, Abdeckungen / grates, covers:


Kunststoffrost / Plastic grating: COMBee; Ø7,3; C250  
BG code: PA 17010402; 1,1 kg:




Kunststoff-Stegrost / plastic slotted grating: SW 8/40; C250  
BG code: PA 17010404; 1,1 kg:




Kunststoff-Stegrost / plastic slotted grating: SW 8/40; B125  
BG code: PA 17010403; 1,1 kg:




Gußrost / Ductile iron grating: MW 29/13, C250  
BG code: GJS 17010101; 3,2kg:




Gussrost / Ductile iron grating: MW29/6, C250  
BG code: GJS 17010106; 3,6 kg:




Gußrost / Ductile iron grating: MW 29/13, D400  
BG code: GJS 17010104; 3,4 kg:




Guß-Stegrost / Ductile iron slotted grating: SW 14/100, E600  
BG code: GJS 17010105; 3,8 kg:




Guß-Designrost / Ductile iron design grating: KIARO, D400  
BG code: GJS 17010183; 4,1 kg:




Guß-Designrost / Ductile iron design grating: VIA, D400  
BG code: GJS 17010184; 3,6 kg:




Guß-Designrost / Ductile iron design grating: RIVER, D400  
BG code: GJS 17010185; 3,8 kg:




Guß-Designrost / Ductile iron design grating: VILLE, E600  
BG code: GJS 17010180; 5,2 kg:



Gußrost / Ductile iron grating: MW 22/13, E600  
BG code: GJS 17010103; 4,2 kg:  
4-fach verschraubbar/4-times bolted





Guß-Stegrost / Ductile iron slotted grating: SW 14/100, D400  
BG code: GJS 17010108; 3,8 kg:  
4-fach verschraubbar/4-times bolted




Schlitzaufsatz / slot top NW 100:



Schlitzaufsatz SW 12,5mm, SH 80, B125  
BG code: V 17110237 (17110238), E 17110337 (17110338); 4,4 kg (2,2 kg):




Revisionschacht SW 12,5mm, SH 80, B125  
BG code: V 17110297, E 17110397; 4,1 kg:




Schlitzaufsatz SW 12,5mm, SH 110, C250  
BG code: V 17110243 (17110244), E 17110343 (17110344); 5,4 kg (2,7 kg):



Revisionschacht SW 12,5mm, SH 110, C250  
BG code: V 17110281, E 17110381; 5,0 kg:



Bauzeitabdeckung / construction time barrier  
BG code: H 37962; 0,1 kg:




Abhebegriff / opening tool  
BG code: V 13399; 0,1 kg:




Design-Schlitzaufsatz / decorative-slot top NW 100:


Schlitzaufsatz 2S / slot-top 2S, Heelproof, SW 2x6 mm, SH 110, C250  
BG code: V 17111204 (17111205), E 17111304 (17111305); 5,8 kg (3,0 kg):




Revisionschacht 2S / revision-shaft 2S, Heelproof, SW 2x6 mm, SH 110, C250  
BG code: V 17111206, E 17111306; 5,3 kg:



Schlitzaufsatz 3S / slot-top 3S, Heelproof, SW 3x6 mm, SH 110, C250  
BG code: E 17111307 (17111308); 6,6 kg (3,3 kg):



Revisionschacht 3S / revision-shaft 3S, Heelproof, SW 3x6 mm, SH 110, C250  
BG code: E 17111309; 5,6 kg:




Abdeckband weiß / cover tape white  
BG code: 37963

50mm Breite / width  
33m Länge pro Rolle / length per roll


Zubehör / accessories:

Sinkkasten / Sump unit:  
inkl. Schlammemeier / incl. silt bucket (22515; 0,2 kg)  
BG code: V 10610292, E 10610392; 32,6 kg


Sinkkasten / Sump unit:  
inkl. Schlammemeier / incl. silt bucket (22515; 0,2 kg)  
BG code: G 10610192; 33,1 kg



Stirn-/Endplatte / Front-/End cap:  
BG code: PA 19010400; 0,12kg



Vandalismus Verriegelung /  
Anti-vandalism locking device  
BG code: E 32087; 0,1 kg:



Verschraubungsmaterial / Bolting material:  
BG code: V 32103:                      BG code: E 32109:



Geruchsverschluss für Bodenablauf /  
Drain trap for bottom outlet:  
BG code: PVC 30019; 0,2 kg:

